Appl. No. 10/518,472

Amdt. dated October 5, 2007

Amendment under 37 CFR 1.116 Expedited Procedure

Examining Group 1633

Amendments to the Claims:

Please amend claims 1-6, 8-9 and 17, and add new claims 18-19. This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- (Currently Amended) A <u>population of primary cultured adipocyte for gene-therapy adipocytes</u>, wherein the <u>adipocyte-is adipocytes are</u> isolated and established from adipose tissue and stably <u>maintains maintain</u> a foreign DNA encoding a protein that is secreted outside of a cell, and wherein the DNA is operably linked to a promoter sequence, <u>and wherein</u> the population is substantially free of non-adipocyte cells.
- 2. (Currently Amended) The <u>population</u> adipocyte of claim 1, wherein the DNA is transferred to the cell by a retroviral vector or adeno-associated viral vector.
- (Currently Amended) The <u>population</u> adipocyte of claim 1, which has the ability to significantly express the protein in vivo for at least 20 days.
- 4. (Currently Amended) The <u>population</u> adipocyte of claim 1, which is used to release the protein into the blood flow.
- (Currently Amended) The <u>population</u> adipocyte of claim 1, wherein the protein is insulin or glucagon-like peptide 1 (GLP-1).

PATENT

Åppl. No. 10/518,472 Amdt. dated October 5, 2007 Amendment under 37 CFR 1.116 Expedited Procedure Examining Group 1633

- (Currently Amended) A method of producing an adipocyte for gene
 therapy a population of primary cultured adipocytes, wherein the method comprises the steps
 of:
 - (1) isolating adipocytes and establishing a primary culture; and
- (2) transferring, and then stably maintaining in the genome a foreign DNA operably linked to a promoter sequence and encoding a protein that is secreted outside of the cell, wherein the population is substantially free of non-adipocyte cells.
- 7. (Original) The method of claim 6, wherein the foreign gene is transferred by a retroviral vector or adeno-associated viral vector.
- (Currently Amended) An adipocyte for gene therapy A population of primary cultured adipocytes, which is produced by the method of claim 6.
- 9. (Currently Amended) An implant composition for gene therapy, wherein the composition comprises a <u>population of</u> primary cultured <u>adipocytes</u>, <u>which are</u> isolated and established from adipose tissue and stably <u>maintains maintains</u> in the genome a foreign DNA encoding a protein that is secreted outside of the cell, and a pharmaceutically acceptable carrier, wherein the DNA is operably linked to a promoter sequence, <u>wherein the population is substantially free of non-adipocyte cells</u>.
- (Original) The implant composition of claim 9, which further comprises an extracellular matrix component.
- (Original) The implant composition of claim 9, which further comprises an angiogenesis factor.

12.-16 (Cancelled)

 (Currently Amended) An adipocyte for gene therapy A population of primary cultured adipocytes, which is produced by the method of claim 7.

PATENT

Appl. No. 10/518,472 Amdt. dated October 5, 2007 Amendment under 37 CFR 1.116 Expedited Procedure Examining Group 1633

- 18. (New) A population of primary cultured adipocytes, wherein the adipocytes are isolated and established from adipose tissue and stably maintain a foreign DNA encoding a protein that is secreted outside of a cell, wherein the DNA is operably linked to a promoter sequence, and wherein the population is obtained by ceiling culture and substantially free of non-adipocyte cells.
- (New) The method of claim 6, wherein the primary culture is established in step (1) by ceiling culture.